

GP Batteries

PRODUCT SPECIFICATION

**GP Wireless Charger
Model : QP1A**

Revision History

Revision	Date	Initiator	Reason for Change
0.0			Draft Release

Prepared By	Approved By
Date: 07 Aug 2019	Date:


GPI International Limited

7/F, Building 16W, 16 Science Park West Avenue,
Hong Kong Science Park, New Territories, Hong Kong
Tel: (852) 2484 3333 Fax: (852) 24805912
Email: gpii@goldpeak.com
Website: <http://www.gpbatteries.com>

GP Batteries

Product Specification

Model no.: QP1A



Product Name	: GP Wireless Charger QP1A
Description	: Wireless charger for Qi-enabled devices
Application	: Charge electronic device via wireless charging output
Input voltage & current	: DC 5V/2A or DC 9V/1.67A or DC 12V/1.67A
Number of coil	: Single
Output voltage & current	: DC 5V/2A or DC 9V/1.1A or DC 9V/1.67A
Wireless output power	: 15W Max.
Operation Temperature	: 0°C to 30°C
Storage Temperature	: -20°C to 70°C (for 6 Hour)

GP Batteries

Product Specification

Model no.: QP1A


Safety protection : 1) Over current protection
2) Short Circuit protection
3) Foreign body detection
4) Over temperature protection
5) Over voltage protection

LED Indication : **Charging Status of the Charger**

Table 1

Charging Condition	LED Indicator (Red & Green)
Standby	Green Flashes Once
Charging	Green Slow Flashing
Fully charged	Green LED On
Abnormal condition	Red LED On

Dimensions : 100 (φ) x 8 (H) mm +/-0.5mm
Weight : 132 g +/- 5g
Certification : CE, RoHS & Qi
Warranty Period : 12 months from ex-factory date



Manufacturer reserves the right to alter or amend the design, model and specification without prior notice.